

METROPOLITAN AREA PROFILES

Albuquerque, NM



Deaths reported to DAWN

Drug misuse	156
Suicide	18

Metro area population, 2003
764,869

Population covered by DAWN
764,869

Percent of population covered by DAWN
100%


Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (4)	156	204.0	18	23.5	764,869
1. Bernalillo County, NM*	141	242.5	14	24.1	581,442
2. Sandoval County, NM	5	50.6	2	20.2	98,786
3. Torrance County, NM	0	0.0	0	0.0	16,802
4. Valencia County, NM	10	147.4	2	29.5	67,839

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		31
Home		85
Public place		15
Other		25
Not documented		0
Suicide		Deaths
Health care facility		4
Home		13
Public place		--
Other		0
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	151	Any drug-related cause	18
Abuse	--	Abuse	--
Drug or alcohol	150	Drug or alcohol	18
Toxic effects	142	Toxic effects	18
Body systems (includes infections)	23	Body systems (includes infections)	0
Accidents and injuries	11	Accidents and injuries	--

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	99	35	156	61	18	7
Alcohol ²			51	--	5	0
Cocaine	64	19	62	19	--	0
Marijuana	--	0	--	0	0	0
Stimulants	6	--	6	--	0	0
Club drugs ³	0	0	0	0	0	0
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	--	--	--	--	0	0
Antidepressants			15	--	7	--
Antipsychotics			0	0	--	--
Benzodiazepines			16	0	--	0
Misc. anxiolytics, sedatives, and hypnotics			--	0	--	0
Opiates/opioids			112	33	9	--
Heroin (specified)	42	13	42	13	0	0
Methadone			23	7	--	0
All other opiates/opioids			54	13	7	--
Nonsteroidal anti-inflammatory agents			--	0	0	0
Salicylates/combinations			--	0	--	--
Misc. analgesics/combinations			--	0	--	0
Anticonvulsants			--	0	0	0
Muscle relaxants			5	0	0	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Atlanta-Sandy Springs-Marietta, GA



Deaths reported to DAWN

Drug misuse 185
Suicide 18

Metro area population, 2003

4,610,032

Population covered by DAWN

2,817,028

Percent of population covered by DAWN

61%

Metro area overview: Deaths and population by county, 2003


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (4)	185	65.7	18	6.4	2,817,028
1. Barrow County, GA					53,479
2. Bartow County, GA					84,730
3. Butts County, GA					22,099
4. Carroll County, GA					98,525
5. Cherokee County, GA					166,639
6. Clayton County, GA					259,736
7. Cobb County, GA	30	46.1	6	9.2	651,027
8. Coweta County, GA					101,395
9. Dawson County, GA					18,575
10. DeKalb County, GA	15	22.2	3	4.4	674,334
11. Douglas County, GA					102,015
12. Fayette County, GA					98,914
13. Forsyth County, GA					123,811
14. Fulton County, GA*	108	132.0	4	4.9	818,322
15. Gwinnett County, GA	32	47.5	5	7.4	673,345
16. Haralson County, GA					27,460
17. Heard County, GA					11,152
18. Henry County, GA					150,003
19. Jasper County, GA					12,547
20. Lamar County, GA					16,234
21. Meriwether County, GA					22,786
22. Newton County, GA					76,144
23. Paulding County, GA					100,071
24. Pickens County, GA					26,905
25. Pike County, GA					14,979
26. Rockdale County, GA					74,941
27. Spalding County, GA					60,483
28. Walton County, GA					69,381

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		56
Home		85
Public place		16
Other		27
Not documented		--
Suicide		Deaths
Health care facility		--
Home		13
Public place		0
Other		--
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	181	Any drug-related cause	16
Abuse	26	Abuse	0
Drug or alcohol	181	Drug or alcohol	16
Toxic effects	138	Toxic effects	16
Body systems (includes infections)	35	Body systems (includes infections)	0
Accidents and injuries	--	Accidents and injuries	4

Drug-related deaths by drug category, 2003

Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	126	53	185	68	18	--
Alcohol ²			40	--	6	--
Cocaine	112	49	108	48	4	--
Marijuana	--	0	--	0	0	--
Stimulants	12	4	11	4	--	--
Club drugs ³	--	0	--	0	0	--
Hallucinogens ⁴	0	0	0	0	0	--
Inhalants	--	0	--	0	0	--
Antidepressants			25	--	7	--
Antipsychotics			--	0	0	--
Benzodiazepines			32	--	5	--
Misc. anxiolytics, sedatives, and hypnotics			15	0	5	--
Opiates/opioids			93	9	4	--
Heroin (specified)	--	0	--	0	0	--
Methadone			10	--	0	--
All other opiates/opioids			83	7	4	--
Nonsteroidal anti-inflammatory agents			0	0	--	--
Salicylates/combinations			--	--	4	--
Misc. analgesics/combinations			--	0	--	--
Anticonvulsants			--	0	0	--
Muscle relaxants			9	0	--	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.


³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Baltimore-Towson, MD



Deaths reported to DAWN

Drug misuse 538
Suicide 12

Metro area population, 2003
2,616,229

Population covered by DAWN
2,616,229

Percent of population covered
by DAWN
100%


Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (7)	538	205.6	12	4.6	2,616,229
1. Anne Arundel County, MD	38	75.0	1	2.0	506,620
2. Baltimore City, MD*	305	485.2	4	6.4	628,670
3. Baltimore County, MD*	120	154.4	3	3.9	777,184
4. Carroll County, MD	15	91.9	1	6.1	163,207
5. Harford County, MD	33	142.1	1	4.3	232,175
6. Howard County, MD	23	87.0	2	7.6	264,265
7. Queen Anne's County, MD	4	90.7	0	0.0	44,108

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		189
Home		233
Public place		10
Other		106
Not documented		0
Suicide		Deaths
Health care facility		--
Home		7
Public place		0
Other		--
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	528	Any drug-related cause	12
Abuse	0	Abuse	0
Drug or alcohol	528	Drug or alcohol	12
Toxic effects	516	Toxic effects	12
Body systems (includes infections)	20	Body systems (includes infections)	--
Accidents and injuries	11	Accidents and injuries	--

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	229	12	538	69	12	0
Alcohol ²			215	5	5	0
Cocaine	226	12	226	12	0	0
Marijuana	0	0	0	0	0	0
Stimulants	0	0	0	0	0	0
Club drugs ³	0	0	0	0	0	0
Hallucinogens ⁴	--	0	--	0	0	0
Inhalants	0	0	0	0	0	0
Antidepressants			119	--	10	0
Antipsychotics			27	--	0	0
Benzodiazepines			32	0	--	0
Misc. anxiolytics, sedatives, and hypnotics			78	0	4	0
Opiates/opioids			469	46	--	0
Heroin (specified)	--	0	--	0	0	0
Methadone			114	12	--	0
All other opiates/opioids			405	34	--	0
Nonsteroidal anti-inflammatory agents			0	0	0	0
Salicylates/combinations			--	--	--	0
Misc. analgesics/combinations			53	--	6	0
Anticonvulsants			--	0	--	0
Muscle relaxants			9	0	0	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Birmingham-Hoover, AL



Deaths reported to DAWN

Drug misuse 89
Suicide 7

Metro area population, 2003
1,072,646

Population covered by DAWN
658,141

Percent of population covered by DAWN
61%


Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (1)	89	135.2	7	10.6	658,141
1. Bibb County, AL					21,206
2. Blount County, AL					54,136
3. Chilton County, AL					40,878
4. Jefferson County, AL	89	135.2	7	10.6	658,141
5. Shelby County, AL					159,445
6. St. Clair County, AL					68,659
7. Walker County, AL					70,181

Shaded areas did not participate in DAWN this year.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		11
Home		52
Public place		14
Other		12
Not documented		0
Suicide		Deaths
Health care facility		--
Home		4
Public place		--
Other		0
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	73	Any drug-related cause	6
Abuse	46	Abuse	--
Drug or alcohol	73	Drug or alcohol	6
Toxic effects	32	Toxic effects	4
Body systems (includes infections)	19	Body systems (includes infections)	--
Accidents and injuries	9	Accidents and injuries	--

Drug-related deaths by drug category, 2003

Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	50	11	89	12	7	0
Alcohol ²			24	0	4	0
Cocaine	49	11	47	11	--	0
Marijuana	--	0	--	0	0	0
Stimulants	4	0	4	0	0	0
Club drugs ³	--	0	--	0	0	0
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	0	0	0	0	0	0
Antidepressants			30	0	--	0
Antipsychotics			6	0	0	0
Benzodiazepines			37	0	4	0
Misc. anxiolytics, sedatives, and hypnotics			16	0	--	0
Opiates/opioids			61	--	5	0
Heroin (specified)	--	0	--	0	0	0
Methadone			30	--	--	0
All other opiates/opioids			40	0	--	0
Nonsteroidal anti-inflammatory agents			0	0	0	0
Salicylates/combinations			4	0	--	0
Misc. analgesics/combinations			12	0	--	0
Anticonvulsants			8	0	0	0
Muscle relaxants			8	0	--	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Boston-Cambridge-Quincy, MA-NH



Deaths reported to DAWN

Drug misuse 486
Suicide 63

Metro area population, 2003
4,439,971

Population covered by DAWN
4,439,971

Percent of population covered by DAWN
100%


Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (7)	486	109.5	63	14.2	4,439,971
1. Essex County, MA*	93	126.0	13	17.6	737,848
2. Middlesex County, MA*	108	73.4	14	9.5	1,471,724
3. Norfolk County, MA	56	85.6	11	16.8	654,331
4. Plymouth County, MA	51	104.6	4	8.2	487,521
5. Suffolk County, MA*	132	193.9	14	20.6	680,705
6. Rockingham County, NH	31	106.9	6	20.7	290,102
7. Strafford County, NH	15	127.4	1	8.5	117,740

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		104
Home		253
Public place		43
Other		72
Not documented		14
Suicide		Deaths
Health care facility		11
Home		39
Public place		7
Other		5
Not documented		--

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	477	Any drug-related cause	60
Abuse	114	Abuse	5
Drug or alcohol	476	Drug or alcohol	59
Toxic effects	418	Toxic effects	40
Body systems (includes infections)	54	Body systems (includes infections)	5
Accidents and injuries	35	Accidents and injuries	32

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	334	135	486	206	63	31
Alcohol ²			114	--	15	0
Cocaine	237	80	216	72	21	8
Marijuana	18	--	18	--	0	0
Stimulants	--	0	--	0	0	0
Club drugs ³	--	0	--	0	0	0
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	6	4	5	--	--	--
Antidepressants			32	6	11	--
Antipsychotics			10	--	5	--
Benzodiazepines			88	16	7	--
Misc. anxiolytics, sedatives, and hypnotics			5	--	5	--
Opiates/opioids			316	99	23	7
Heroin (specified)	111	50	109	50	--	0
Methadone			35	8	--	0
All other opiates/opioids			188	41	20	7
Nonsteroidal anti-inflammatory agents			0	0	0	0
Salicylates/combinations			--	0	--	--
Misc. analgesics/combinations			4	--	--	--
Anticonvulsants			--	--	0	0
Muscle relaxants			--	0	0	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Buffalo-Cheektowaga-Tonawanda, NY



Deaths reported to DAWN

Drug misuse	65
Suicide	18

Metro area population, 2003
1,159,443

Population covered by DAWN
1,159,443


Percent of population covered by DAWN
100%

Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (2)	65	56.1	18	15.5	1,159,443
1. Erie County, NY	48	51.0	12	12.7	941,293
2. Niagara County, NY	17	77.9	6	27.5	218,150

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		23
Home		36
Public place		--
Other		4
Not documented		0
Suicide		Deaths
Health care facility		4
Home		9
Public place		5
Other		0
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	53	Any drug-related cause	9
Abuse	15	Abuse	--
Drug or alcohol	53	Drug or alcohol	9
Toxic effects	36	Toxic effects	6
Body systems (includes infections)	12	Body systems (includes infections)	--
Accidents and injuries	5	Accidents and injuries	9

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	51	7	65	7	18	--
Alcohol ²			21	0	8	--
Cocaine	30	6	26	4	4	--
Marijuana	8	--	7	--	--	--
Stimulants	0	0	0	0	0	--
Club drugs ³	0	0	0	0	0	--
Hallucinogens ⁴	0	0	0	0	0	--
Inhalants	--	0	0	0	--	--
Antidepressants			27	0	10	--
Antipsychotics			4	0	--	--
Benzodiazepines			19	0	--	--
Misc. anxiolytics, sedatives, and hypnotics			9	0	5	--
Opiates/opioids			51	--	8	--
Heroin (specified)	19	0	17	0	--	--
Methadone			7	0	0	--
All other opiates/opioids			44	--	8	--
Nonsteroidal anti-inflammatory agents			0	0	0	--
Salicylates/combinations			0	0	0	--
Misc. analgesics/combinations			--	--	0	--
Anticonvulsants			0	0	0	--
Muscle relaxants			4	0	--	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Chicago-Naperville-Joliet, IL-IN-WI



Deaths reported to DAWN

Drug misuse 138
Suicide 34

Metro area population, 2003
9,333,511

Population covered by DAWN
2,419,985

Percent of population covered by DAWN
26%

Metro area overview: Deaths and population by county, 2003


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (5)	138	57.0	34	14.0	2,419,985
1. Cook County, IL					5,351,552
2. DeKalb County, IL					94,041
3. DuPage County, IL*	63	68.1	15	16.2	925,188
4. Grundy County, IL					39,528
5. Kane County, IL	14	30.6	6	13.1	457,122
6. Kendall County, IL	2	30.0	1	15.0	66,565
7. Lake County, IL	37	54.0	9	13.1	685,019
8. McHenry County, IL	22	76.9	3	10.5	286,091
9. Will County, IL					586,706
10. Jasper County, IN					31,078
11. Lake County, IN					487,476
12. Newton County, IN					14,403
13. Porter County, IN					152,533
14. Kenosha County, WI					156,209

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		48
Home		61
Public place		7
Other		21
Not documented		--
Suicide		Deaths
Health care facility		--
Home		22
Public place		--
Other		6
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	123	Any drug-related cause	26
Abuse	7	Abuse	--
Drug or alcohol	123	Drug or alcohol	26
Toxic effects	117	Toxic effects	23
Body systems (includes infections)	25	Body systems (includes infections)	--
Accidents and injuries	10	Accidents and injuries	8

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	87	31	138	46	34	11
Alcohol ²	--	--	46	--	11	0
Cocaine	67	24	62	21	5	--
Marijuana	10	--	9	--	--	--
Stimulants	--	0	--	0	0	0
Club drugs ³	--	0	--	0	0	0
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	--	0	--	0	0	0
Antidepressants	--	--	16	--	13	--
Antipsychotics	--	--	--	0	--	0
Benzodiazepines	--	--	17	0	14	0
Misc. anxiolytics, sedatives, and hypnotics	--	--	16	--	7	--
Opiates/opioids	--	--	87	16	12	--
Heroin (specified)	27	5	27	5	0	0
Methadone	--	--	15	4	--	--
All other opiates/opioids	--	--	50	7	11	--
Nonsteroidal anti-inflammatory agents	--	--	0	0	0	0
Salicylates/combinations	--	--	--	0	--	0
Misc. analgesics/combinations	--	--	7	0	5	--
Anticonvulsants	--	--	--	0	--	0
Muscle relaxants	--	--	--	0	--	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Cleveland-Elyria-Mentor, OH



Deaths reported to DAWN

Drug misuse 178
Suicide 21

Metro area population, 2003
2,139,512

Population covered by DAWN
1,363,888

Percent of population covered by DAWN
64%


Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (1)	178	130.5	21	15.4	1,363,888
1. Cuyahoga County, OH	178	130.5	21	15.4	1,363,888
2. Geauga County, OH					93,941
3. Lake County, OH					228,878
4. Lorain County, OH					291,164
5. Medina County, OH					161,641

Shaded areas did not participate in DAWN this year.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		82
Home		77
Public place		5
Other		14
Not documented		0
Suicide		Deaths
Health care facility		9
Home		12
Public place		0
Other		0
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	178	Any drug-related cause	21
Abuse	26	Abuse	0
Drug or alcohol	178	Drug or alcohol	21
Toxic effects	152	Toxic effects	21
Body systems (includes infections)	94	Body systems (includes infections)	6
Accidents and injuries	4	Accidents and injuries	--

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	129	70	178	89	21	7
Alcohol ²			46	0	8	0
Cocaine	93	50	91	50	--	0
Marijuana	5	0	5	0	0	0
Stimulants	--	--	--	0	--	--
Club drugs ³	--	--	--	--	0	0
Hallucinogens ⁴	7	--	7	--	0	0
Inhalants	0	0	0	0	0	0
Antidepressants			26	--	9	--
Antipsychotics			6	--	--	0
Benzodiazepines			15	--	--	0
Misc. anxiolytics, sedatives, and hypnotics			7	0	--	0
Opiates/opioids			90	26	6	--
Heroin (specified)	39	15	39	15	0	0
Methadone			5	--	0	0
All other opiates/opioids			55	9	6	--
Nonsteroidal anti-inflammatory agents			--	0	0	0
Salicylates/combinations			--	--	0	0
Misc. analgesics/combinations			13	--	--	--
Anticonvulsants			0	0	0	0
Muscle relaxants			--	0	--	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Denver-Aurora, CO



Deaths reported to DAWN

Drug misuse	225
Suicide	55

Metro area population, 2003

2,301,116

Population covered by DAWN

2,205,845

Percent of population covered by DAWN

96%

Metro area overview: Deaths and population by county, 2003


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (5)	225	102.0	55	24.9	2,205,845
1. Adams County, CO	31	81.5	12	31.6	380,273
2. Arapahoe County, CO	37	71.7	11	21.3	516,060
3. Broomfield County, CO					42,169
4. Clear Creek County, CO					9,538
5. Denver County, CO*	123	220.6	12	21.5	557,478
6. Douglas County, CO	6	26.8	2	8.9	223,471
7. Elbert County, CO					22,254
8. Gilpin County, CO					4,845
9. Jefferson County, CO	28	53.0	18	34.1	528,563
10. Park County, CO					16,465

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		50
Home		138
Public place		11
Other		26
Not documented		0
Suicide		Deaths
Health care facility		12
Home		37
Public place		--
Other		5
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	214	Any drug-related cause	53
Abuse	--	Abuse	0
Drug or alcohol	213	Drug or alcohol	53
Toxic effects	204	Toxic effects	52
Body systems (includes infections)	28	Body systems (includes infections)	6
Accidents and injuries	--	Accidents and injuries	--

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	130	36	225	71	55	12
Alcohol ²			83	0	18	0
Cocaine	102	27	99	27	--	0
Marijuana	6	0	6	0	0	0
Stimulants	26	5	25	5	--	0
Club drugs ³	--	0	--	0	0	0
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	--	--	--	--	0	0
Antidepressants			28	--	20	--
Antipsychotics			6	--	--	0
Benzodiazepines			30	0	7	0
Misc. anxiolytics, sedatives, and hypnotics			10	0	12	--
Opiates/opioids			138	28	26	--
Heroin (specified)	7	--	6	--	--	0
Methadone			23	--	--	0
All other opiates/opioids			116	22	23	--
Nonsteroidal anti-inflammatory agents			0	0	--	0
Salicylates/combinations			--	--	--	0
Misc. analgesics/combinations			10	4	9	4
Anticonvulsants			--	0	4	--
Muscle relaxants			9	--	6	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Detroit-Warren-Livonia, MI



Deaths reported to DAWN

Drug misuse	546
Suicide	53

Metro area population, 2003
4,483,853

Population covered by DAWN
4,219,658

Percent of population covered by DAWN
94%

Metro area overview: Deaths and population by county, 2003


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (4)	546	129.4	53	12.6	4,219,658
1. Lapeer County, MI					91,314
2. Livingston County, MI					172,881
3. Macomb County, MI	76	93.4	11	13.5	813,948
4. Oakland County, MI*	116	96.0	18	14.9	1,207,869
5. St. Clair County, MI	15	88.7	0	0.0	169,063
6. Wayne County, MI*	339	167.1	24	11.8	2,028,778

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		142
Home		276
Public place		14
Other		114
Not documented		0
Suicide		Deaths
Health care facility		12
Home		35
Public place		--
Other		5
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	535	Any drug-related cause	50
Abuse	244	Abuse	0
Drug or alcohol	535	Drug or alcohol	50
Toxic effects	266	Toxic effects	48
Body systems (includes infections)	39	Body systems (includes infections)	--
Accidents and injuries	8	Accidents and injuries	8

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	364	50	546	69	53	8
Alcohol ²			156	0	20	0
Cocaine	295	42	289	42	6	0
Marijuana	39	0	37	0	--	0
Stimulants	6	0	4	0	--	0
Club drugs ³	0	0	0	0	0	0
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	--	--	0	0	--	--
Antidepressants			109	--	20	0
Antipsychotics			25	0	6	0
Benzodiazepines			144	--	23	0
Misc. anxiolytics, sedatives, and hypnotics			88	0	15	--
Opiates/opioids			418	21	35	--
Heroin (specified)	72	7	72	7	0	0
Methadone			75	--	--	0
All other opiates/opioids			348	12	35	--
Nonsteroidal anti-inflammatory agents			--	0	0	0
Salicylates/combinations			--	0	--	--
Misc. analgesics/combinations			20	0	8	0
Anticonvulsants			10	0	--	0
Muscle relaxants			35	0	--	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Houston-Baytown-Sugar Land, TX



Deaths reported to DAWN

Drug misuse 287
Suicide 89

Metro area population, 2003
5,075,733

Population covered by DAWN
4,395,137

Percent of population covered by DAWN
87%

Metro area overview: Deaths and population by county, 2003


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (4)	287	65.3	89	20.2	4,395,137
1. Austin County, TX					25,057
2. Brazoria County, TX					263,149
3. Chambers County, TX					27,581
4. Fort Bend County, TX	12	28.6	3	7.1	419,772
5. Galveston County, TX					266,775
6. Harris County, TX*	241	67.0	78	21.7	3,596,086
7. Liberty County, TX					74,117
8. Montgomery County, TX	33	95.7	8	23.2	344,700
9. San Jacinto County, TX					23,917
10. Waller County, TX	1	28.9	0	0.0	34,579

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		94
Home		148
Public place		6
Other		36
Not documented		--
Suicide		Deaths
Health care facility		25
Home		51
Public place		--
Other		11
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	287	Any drug-related cause	88
Abuse	0	Abuse	0
Drug or alcohol	287	Drug or alcohol	88
Toxic effects	281	Toxic effects	85
Body systems (includes infections)	6	Body systems (includes infections)	--
Accidents and injuries	0	Accidents and injuries	--

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	181	93	287	117	89	27
Alcohol ²			80	--	23	0
Cocaine	142	82	132	79	10	--
Marijuana	21	0	16	0	5	0
Stimulants	--	--	--	--	0	0
Club drugs ³	--	0	--	0	0	0
Hallucinogens ⁴	5	0	5	0	0	0
Inhalants	5	--	--	--	--	--
Antidepressants			32	--	28	7
Antipsychotics			4	0	--	0
Benzodiazepines			58	--	26	--
Misc. anxiolytics, sedatives, and hypnotics			18	0	17	--
Opiates/opioids			152	28	45	6
Heroin (specified)	29	7	27	7	--	0
Methadone			31	8	8	--
All other opiates/opioids			101	13	39	5
Nonsteroidal anti-inflammatory agents			0	0	0	0
Salicylates/combinations			--	--	--	--
Misc. analgesics/combinations			5	--	6	--
Anticonvulsants			--	0	--	--
Muscle relaxants			43	0	15	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Indianapolis, IN



Deaths reported to DAWN

Drug misuse 72
Suicide 8

Metro area population, 2003
1,595,377

Population covered by DAWN
986,507

Percent of population covered by DAWN
62%


Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (2)	72	73.0	8	8.1	986,507
1. Boone County, IN					49,370
2. Brown County, IN					15,313
3. Hamilton County, IN					216,826
4. Hancock County, IN					59,446
5. Hendricks County, IN					118,850
6. Johnson County, IN	0	0.0	0	0.0	123,256
7. Marion County, IN	72	83.4	8	9.3	863,251
8. Morgan County, IN					68,656
9. Putnam County, IN					36,692
10. Shelby County, IN					43,717

Shaded areas did not participate in DAWN this year.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003



Place of death, 2003

Drug misuse		Deaths
Health care facility		14
Home		40
Public place		--
Other		15
Not documented		0
Suicide		Deaths
Health care facility		0
Home		7
Public place		0
Other		--
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	71	Any drug-related cause	8
Abuse	21	Abuse	0
Drug or alcohol	71	Drug or alcohol	7
Toxic effects	60	Toxic effects	8
Body systems (includes infections)	8	Body systems (includes infections)	--
Accidents and injuries	0	Accidents and injuries	0

Drug-related deaths by drug category, 2003

Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	35	5	72	13	8	--
Alcohol ²			23	0	--	--
Cocaine	22	5	21	4	--	--
Marijuana	15	0	14	0	--	--
Stimulants	--	0	--	0	0	--
Club drugs ³	0	0	0	0	0	--
Hallucinogens ⁴	--	0	--	0	0	--
Inhalants	0	0	0	0	0	--
Antidepressants			5	0	--	--
Antipsychotics			0	0	0	--
Benzodiazepines			17	0	--	--
Misc. anxiolytics, sedatives, and hypnotics			5	--	--	--
Opiates/opioids			60	5	4	--
Heroin (specified)	--	0	--	0	0	--
Methadone			17	--	--	--
All other opiates/opioids			48	4	4	--
Nonsteroidal anti-inflammatory agents			0	0	--	--
Salicylates/combinations			--	--	0	--
Misc. analgesics/combinations			4	0	--	--
Anticonvulsants			0	0	0	--
Muscle relaxants			--	0	--	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).